


Like a classic wine,

our New Cotswold Collection of bricks is crafted by us to give you an aesthetically pleasing result today.



As in making wine, making these new bricks starts with the right ingredients. We have spent a long time developing the right blend of natural ingredients, and then we nurtured them through the manufacturing process for several weeks and all to give you something beautiful that will age gracefully for decades to come.

Dale Moss Master Brickmaker



NEW COTSWOLD TEXTURE AND COLOURS

Here in the Cotswolds, we at Northcot Brick have spent several years developing an exciting and totally new, innovative and individual range of bricks.

Our challenge has been to make a brick that combines our outstanding expertise and skills as makers of characterful bricks and exploits the best characteristics of our clay with the latest technology.

These new bricks, the Cotswold Collection, have a unique rugged texture, with distressed arrisses and a variety of finishes. They provide an individual brick combination that quite literally cannot be matched.

INDIVIDUAL AND HAND-SORTED

The Cotswold Collection is blended by hand providing a consistent mix of bricks within each pack. A bespoke blend to match an existing project or for your own individual new build requirements is also available on request.

CONSISTENCY AND QUALITY

Of course, being machine-made bricks they have considerable advantages in consistency and quality and are available in both 65mm Metric and 73mm Imperial sizes.

By using our traditional kilns we have created a charming range of beautiful and natural colours of warm and pastel shades for use in individual new-builds and renovation projects.


The bricks come in a range of three colours.









COTSWOLD BLEND



COTSWOLD ORANGE







Northcot Brick Ltd

Station Road, Blockley, Nr. Moreton-in-Marsh Gloucestershire GL56 9LH

Tel: 01386 700551 Fax: 01386 700852

Email: sales@northcotbrick.co.uk
Web: www.northcotbrick.co.uk

TECHNICAL SPECIFICATION

Brick Type	Cotswold Collection		
Appearance	Variable textured surface		
Specification	Bricks are manufactured to BS EN 771-1 (BS 3921:1985 now withdrawn)		
Sizes	65mm, 73mm		
Specials	A range of BS special types are available. Please enquire for further information.		
Compressive Strength	72.7N/mm ²		
Durability	F2		
Tolerances	T1		
Liability to Effloresce	"Nil to slight"		
Soluble Salt Content	S2		
Water Absorption	7-13% (Average 10%)		
Average Bulk Density	$1650 \mathrm{kg/M^3}$		
Packaging	Shrink-wrapped and wire-banded with holes for forklift use		
Pack Sizes & Weights	Size (mm) 65 73	Qty/pk 500 500	Wt (t) 1.072 1.195
Samples	Usually within 48 hour dispatch		
Workmanship	The recommendations of good practice made in the relevant British or European Standards regarding design and workmanship must be fully wobserved. Always mix from four packs, working vertically down the blades, not horizontally across the tops of packs. Bricks and brickwork should be covered to prevent saturation.		
Performance	All Northcot 1st quality bricks are Frost Resistant. Northcot Bricks are manufactured to F2 rating for Frost Resistance as described in BS EN 771-1: 2003 "Specification for Clay masonry units". The specification is for masonry (walling) products which are to be used in brickwork designed and built in accordance with recommendations in BS PD 6697: 2010 "Recommendations for the design of masonry structures to BS EN 1996-1-1 and BS EN 1996-2". The use of Sulphate Resisting Cement is recommended. Further details on website.		
Important Advice	Colours and textures reproduced here are as accurate as the printing process allows, and final choices should not be made from this brochure in isolation. For the latest updates on technical information, please visit our website, www.northcotbrick.co.uk		